

Appendix B-1
(Effective June 5, 2020)

Small Construction Project Safety Protocol

1. Any construction project meeting any of the following specifications is subject to this Small Construction Project Safety Protocol (“SCP Protocol”), including public works projects unless otherwise specified by the Health Officer:
 - a. For residential projects, any single-family, multi-family, senior, student, or other residential construction, renovation, or remodel project consisting of 10 units or less. This SCP Protocol does not apply to construction projects where a person is performing construction on their current residence either alone or solely with members of their own household.
 - b. For commercial projects, any construction, renovation, or tenant improvement project consisting of 20,000 square feet of floor area or less.
 - c. For mixed-use projects, any project that meets both of the specifications in subsection 1.a and 1.b.
 - d. All other construction projects not subject to the Large Construction Project Safety Protocol set forth in Appendix B-2.

2. The following restrictions and requirements must be in place at all construction job sites subject to this SCP Protocol:
 - a. Comply with all applicable and current laws and regulations including but not limited to OSHA and Cal-OSHA. If there is any conflict, difference, or discrepancy between or among applicable laws and regulations and/or this SCP Protocol, the stricter standard shall apply.
 - b. Designate a site-specific COVID-19 supervisor or supervisors to enforce this guidance. A designated COVID-19 supervisor must be present on the construction site at all times during construction activities. A COVID-19 supervisor may be an on-site worker who is designated to serve in this role.
 - c. The COVID-19 supervisor must review this SCP Protocol with all workers and visitors to the construction site.
 - d. Establish a daily screening protocol for arriving staff to ensure that potentially infected staff do not enter the construction site. If workers leave the jobsite and return the same day, establish a cleaning and decontamination protocol prior to entry and exit of the jobsite. Post the daily screening protocol at all entrances and exits to the jobsite. More information on screening can be found online at: <https://www.cdc.gov/coronavirus/2019-ncov/community/index.html>.
 - e. Practice social distancing by maintaining a minimum six-foot distance between workers at all times, except as strictly necessary to carry out a task associated with the construction project.

Appendix B-1
(Effective June 5, 2020)

- f. Where construction work occurs within an occupied residential unit, separate work areas must be sealed off from the remainder of the unit with physical barriers such as plastic sheeting or closed doors sealed with tape to the extent feasible. If possible, workers must access the work area from an alternative entry/exit door to the entry/exit door used by residents. Available windows and exhaust fans must be used to ventilate the work area. If residents have access to the work area between workdays, the work area must be cleaned and sanitized at the beginning and at the end of workdays. Every effort must be taken to minimize contact between workers and residents, including maintaining a minimum of six feet of social distancing at all times.
- g. Where construction work occurs within common areas of an occupied residential or commercial building or a mixed-use building in use by on-site employees or residents, separate work areas must be sealed off from the rest of the common areas with physical barriers such as plastic sheeting or closed doors sealed with tape to the extent feasible. If possible, workers must access the work area from an alternative building entry/exit door to the building entry/exit door used by residents or other users of the building. Every effort must be taken to minimize contact between worker and building residents and users, including maintaining a minimum of six feet of social distancing at all times.
- h. Prohibit gatherings of any size on the jobsite, including gatherings for breaks or eating, except for meetings regarding compliance with this protocol or as strictly necessary to carry out a task associated with the construction project.
- i. Cal-OSHA requires employers to provide water, which should be provided in single-serve containers. Sharing of any of any food or beverage is strictly prohibited and if sharing is observed, the worker must be sent home for the day.
- j. Provide personal protective equipment (PPE) specifically for use in construction, including gloves, goggles, face shields, and face coverings as appropriate for the activity being performed. At no time may a contractor secure or use medical-grade PPE unless required due to the medical nature of a jobsite. Face coverings must be worn in compliance with the April 17, 2020 Guidance from the County of Santa Clara Public Health Department, available at: <https://www.sccgov.org/sites/covid19/Pages/learn-what-to-do.aspx#howto>.
- k. Strictly control “choke points” and “high-risk areas” where workers are unable to maintain six-foot social distancing and prohibit or limit use to ensure that six-foot distance can easily be maintained between individuals.
- l. Minimize interactions and maintain social distancing with all site visitors, including delivery workers, design professional and other project consultants, government agency representatives, including building and fire inspectors, and residents at residential construction sites.
- m. Stagger trades as necessary to reduce density and allow for easy maintenance of minimum six-foot separation.

Appendix B-1
(Effective June 5, 2020)

- n. Discourage workers from using others' desks, work tools, and equipment. If more than one worker uses these items, the items must be cleaned and disinfected with disinfectants that are effective against COVID-19 in between use by each new worker. Prohibit sharing of PPE.
- o. If hand washing facilities are not available at the jobsite, place portable wash stations or hand sanitizers that are effective against COVID-19 at entrances to the jobsite and in multiple locations dispersed throughout the jobsite as warranted.
- p. Clean and sanitize any hand washing facilities, portable wash stations, jobsite restroom areas, or other enclosed spaces daily with disinfectants that are effective against COVID-19. Frequently clean and disinfect all high touch areas, including entry and exit areas, high traffic areas, rest rooms, hand washing areas, high touch surfaces, tools, and equipment
- q. Maintain a daily attendance log of all workers and visitors that includes contact information, including name, phone number, address, and email.
- r. Post a notice in an area visible to all workers and visitors instructing workers and visitors to do the following:
 - i. Do not touch your face with unwashed hands or with gloves.
 - ii. Frequently wash your hands with soap and water for at least 20 seconds or use hand sanitizer with at least 60% alcohol.
 - iii. Clean and disinfect frequently touched objects and surfaces such as work stations, keyboards, telephones, handrails, machines, shared tools, elevator control buttons, and doorknobs.
 - iv. Cover your mouth and nose when coughing or sneezing, or cough or sneeze into the crook of your arm at your elbow/sleeve.
 - v. Do not enter the jobsite if you have a fever, cough, or other COVID-19 symptoms. If you feel sick, or have been exposed to anyone who is sick, stay at home.
 - vi. Constantly observe your work distances in relation to other staff. Maintain the recommended minimum six feet at all times when not wearing the necessary PPE for working in close proximity to another person.
 - vii. Do not carpool to and from the jobsite with anyone except members of your own household unit, or as necessary for workers who have no alternative means of transportation.
 - viii. Do not share phones or PPE.
- s. In the event of a confirmed case of COVID-19 at any jobsite, the following must take place:
 - i. Immediately remove the infected individual from the jobsite with directions to seek medical care.
 - ii. Each location the infected worker was at must be decontaminated and sanitized by an outside vendor certified in hazmat clean ups, and work in these locations must cease until decontamination and sanitization is complete.
 - iii. The County Public Health Department must be notified immediately by both telephone (by calling 408.885.4214) and by email (by sending an email to coronavirus@phd.sccgov.org). Any requirements specified by the County health officials must be completed, including full compliance with any tracing efforts by the County.

Appendix B-2
(Effective June 5, 2020)

Large Construction Project Safety Protocol

1. Any construction project meeting any of the following specifications is subject to this Large Construction Project Safety Protocol (“LCP Protocol”), including public works projects unless otherwise specified by the Health Officer:
 - a. For residential construction projects, any single-family, multi-family, senior, student, or other residential construction, renovation, or remodel project consisting of more than 10 units.
 - b. For commercial construction projects, any construction, renovation, or tenant improvement project consisting of more than 20,000 square feet of floor area.
 - c. For construction of Essential Infrastructure, as defined in section 16.c of the Order, any project that requires 20 or more workers at the jobsite at any one time.

2. The following restrictions and requirements must be in place at all construction job sites subject to this LCP Protocol:
 - a. Comply with all applicable and current laws and regulations including but not limited to OSHA and Cal-OSHA. If there is any conflict, difference or discrepancy between or among applicable laws and regulations and/or this LCP Protocol, the stricter standard will apply.
 - b. Prepare a new or updated Site-Specific Health and Safety Plan to address COVID-19-related issues, post the Plan on-site at all entrances and exits, and produce a copy of the Plan to County governmental authorities upon request. The Plan must be translated as necessary to ensure that all non-English speaking workers are able to understand the Plan.
 - c. Provide personal protective equipment (PPE) specifically for use in construction, including gloves, goggles, face shields, and face coverings as appropriate for the activity being performed. At no time may a contractor secure or use medical-grade PPE, unless required due to the medical nature of a job site. Face coverings must be worn in compliance with the April 17, 2020 Guidance from the County of Santa Clara Public Health Department, available at:
<https://www.sccgov.org/sites/covid19/Pages/learn-what-to-do.aspx#howto>.
 - d. Ensure that employees are trained in the use of PPE. Maintain and make available a log of all PPE training provided to employees and monitor all employees to ensure proper use of the PPE.
 - e. Prohibit sharing of PPE.

Appendix B-2
(Effective June 5, 2020)

- f. Implement social distancing requirements including, at minimum:
 - i. Stagger stop- and start-times for shift schedules to reduce the quantity of workers at the jobsite at any one time to the extent feasible.
 - ii. Stagger trade-specific work to minimize the quantity of workers at the jobsite at any one time.
 - iii. Require social distancing by maintaining a minimum six-foot distance between workers at all times, except as strictly necessary to carry out a task associated with the project.
 - iv. Prohibit gatherings of any size on the jobsite, except for safety meetings or as strictly necessary to carry out a task associated with the project.
 - v. Strictly control “choke points” and “high-risk areas” where workers are unable to maintain minimum six-foot social distancing and prohibit or limit use to ensure that minimum six-foot distancing can easily be maintained between workers.
 - vi. Minimize interactions and maintain social distancing with all site visitors, including delivery workers, design professional and other project consultants, government agency representatives, including building and fire inspectors, and residents at residential construction sites.
 - vii. Prohibit workers from using others’ phones or desks. Any work tools or equipment that must be used by more than one worker must be cleaned with disinfectants that are effective against COVID-19 before use by a new worker.
 - viii. Place wash stations or hand sanitizers that are effective against COVID-19 at entrances to the jobsite and in multiple locations dispersed throughout the jobsite as warranted.
 - ix. Maintain a daily attendance log of all workers and visitors that includes contact information, including name, address, phone number, and email.
 - x. Post a notice in an area visible to all workers and visitors instructing workers and visitors to do the following:
 - 1. Do not touch your face with unwashed hands or with gloves.
 - 2. Frequently wash your hands with soap and water for at least 20 seconds or use hand sanitizer with at least 60% alcohol.
 - 3. Clean and disinfect frequently touched objects and surfaces such as workstations, keyboards, telephones, handrails, machines, shared tools, elevator control buttons, and doorknobs.
 - 4. Cover your mouth and nose when coughing or sneezing or cough or sneeze into the crook of your arm at your elbow/sleeve.
 - 5. Do not enter the jobsite if you have a fever, cough, or other COVID-19 symptoms. If you feel sick, or have been exposed to anyone who is sick, stay at home.
 - 6. Constantly observe your work distances in relation to other staff. Maintain the recommended minimum six-foot distancing at all times when not wearing the necessary PPE for working in close proximity to another person.
 - 7. Do not share phones or PPE.

Appendix B-2
(Effective June 5, 2020)

- xi. The notice in section 2.f.x must be translated as necessary to ensure that all non-English speaking workers are able to understand the notice.

- g. Implement cleaning and sanitization practices in accordance with the following:
 - i. Frequently clean and sanitize, in accordance with CDC guidelines, all high-traffic and high-touch areas including, at a minimum: meeting areas, jobsite lunch and break areas, entrances and exits to the jobsite, jobsite trailers, hand-washing areas, tools, equipment, jobsite restroom areas, stairs, elevators, and lifts.
 - ii. Establish a cleaning and decontamination protocol prior to entry and exit of the jobsite and post the protocol at entrances and exits of jobsite.
 - iii. Supply all personnel performing cleaning and sanitization with proper PPE to prevent them from contracting COVID-19. Employees must not share PPE.
 - iv. Establish adequate time in the workday to allow for proper cleaning and decontamination including prior to starting at or leaving the jobsite for the day.

- h. Implement a COVID-19 community spread reduction plan as part of the Site-Specific Health and Safety Plan that includes, at minimum, the following restrictions and requirements:
 - i. Prohibit all carpooling to and from the jobsite except by workers living within the same household unit, or as necessary for workers who have no alternative means of transportation.
 - ii. Cal-OSHA requires employers to provide water, which should be provided in single-serve containers. Prohibit any sharing of any food or beverage and if sharing is observed, the worker must be sent home for the day.
 - iii. Prohibit use of microwaves, water coolers, and other similar shared equipment.

- i. Assign a COVID-19 Safety Compliance Officer (SCO) to the jobsite and ensure the SCO's name is posted on the Site-Specific Health and Safety Plan. The SCO must:
 - i. Ensure implementation of all recommended safety and sanitation requirements regarding the COVID-19 virus at the jobsite.
 - ii. Compile daily written verification that each jobsite is compliant with the components of this LCP Protocol. Each written verification form must be copied, stored, and made immediately available upon request by any County official.
 - iii. Establish a daily screening protocol for arriving staff, to ensure that potentially infected staff do not enter the construction site. If workers leave the jobsite and return the same day, establish a cleaning and decontamination protocol prior to entry and exit of the jobsite. Post the daily screening protocol at all entrances and exit to the jobsite. More information on screening can be found online at: <https://www.cdc.gov/coronavirus/2019-ncov/community/index.html>.
 - iv. Conduct daily briefings in person or by teleconference that must cover the following topics:
 - 1. New jobsite rules and pre-job site travel restrictions for the prevention of COVID-19 community spread.
 - 2. Review of sanitation and hygiene procedures.
 - 3. Solicitation of worker feedback on improving safety and sanitation.
 - 4. Coordination of construction site daily cleaning/sanitation requirements.
 - 5. Conveying updated information regarding COVID-19.

Appendix B-2
(Effective June 5, 2020)

6. Emergency protocols in the event of an exposure or suspected exposure to COVID-19.
 - v. Develop and ensure implementation of a remediation plan to address any non-compliance with this LCP Protocol and post remediation plan at entrance and exit of jobsite during remediation period. The remediation plan must be translated as necessary to ensure that all non-English speaking workers are able to understand the document.
 - vi. The SCO must not permit any construction activity to continue without bringing such activity into compliance with these requirements.
 - vii. Report repeated non-compliance with this LCP Protocol to the appropriate jobsite supervisors and a designated County official.

- j. Assign a COVID-19 Third-Party Jobsite Safety Accountability Supervisor (JSAS) for the jobsite, who at a minimum holds an OSHA-30 certificate and first-aid training within the past two years, who must be trained in the protocols herein and verify compliance, including by visual inspection and random interviews with workers, with this LCP Protocol.
 - i. Within seven calendar days of each jobsite visit, the JSAS must complete a written assessment identifying any failure to comply with this LCP Protocol. The written assessment must be copied, stored, and, upon request by the County, sent to a designated County official.
 - ii. If the JSAS discovers that a jobsite is not in compliance with this LCP Protocol, the JSAS must work with the SCO to develop and implement a remediation plan.
 - iii. The JSAS must coordinate with the SCO to prohibit continuation of any work activity not in compliance with rules stated herein until addressed and the continuing work is compliant.
 - iv. The remediation plan must be sent to a designated County official within five calendar days of the JSAS's discovery of the failure to comply.

- k. In the event of a confirmed case of COVID-19 at any jobsite, the following must take place:
 - i. Immediately remove the infected individual from the jobsite with directions to seek medical care.
 - ii. Each location the infected worker was at must be decontaminated and sanitized by an outside vendor certified in hazmat clean ups, and work in these locations must cease until decontamination and sanitization is complete.
 - iii. The County Public Health Department must be notified immediately by both telephone (by calling 408.885.4214) and by email (by sending an email to coronavirus@phd.sccgov.org). Any requirements specified by the County health officials must be completed, including full compliance with any tracing efforts by the County.

- l. Where construction work occurs within an occupied residential unit, any separate work area must be sealed off from the remainder of the unit with physical barriers such as plastic sheeting or closed doors sealed with tape to the extent feasible. If possible, workers must access the work area from an alternative entry/exit door to the entry/exit door used by

Appendix B-2
(Effective June 5, 2020)

residents. Available windows and exhaust fans must be used to ventilate the work area. If residents have access to the work area between workdays, the work area must be cleaned and sanitized at the beginning and at the end of workdays. Every effort must be taken to minimize contact between workers and residents, including maintaining a minimum of six feet of social distancing at all times.

- m. Where construction work occurs within common areas of an occupied residential or commercial building or a mixed-use building in use by on-site employees or residents, any separate work area must be sealed off from the rest of the common areas with physical barriers such as plastic sheeting or closed doors sealed with tape to the extent feasible. If possible, workers must access the work area from an alternative building entry/exit door to the building entry/exit door used by residents or other users of the building. Every effort must be taken to minimize contact between worker and building residents and users, including maintaining a minimum of six feet of social distancing at all times.

Appendix C-1: Additional Businesses Allowed to Operate

Effective June 5, 2020

General Requirements

The “Additional Businesses” listed below may begin operating, subject to the requirements set forth in the Order and to any additional requirements set forth below or in separate industry-specific guidance by the Health Officer. These businesses were selected to implement a measured expansion of commercial activity based on health-related considerations including the risks of COVID-19 transmission associated with types and modes of business operations, the ability to substantially mitigate transmission risks associated with the operations, and related factors, such as the following:

- **Increase in mobility and volume of activity**—the overall impact the reopening will have on the number of people leaving their homes and traveling to work at or access the business;
- **Contact intensity**—the type (close or distant) and duration (brief or prolonged) of the contact involved in the business;
- **Number of contacts**—the approximate number of people that will be in the setting at the same time;
- **Modification potential**—the degree to which mitigation measures can decrease the risk of transmission.

To mitigate the risk of transmission to the greatest extent possible, each Additional Business must, before resuming operations:

- 1) Prepare and complete a Social Distancing Protocol (SDP) for each of its facilities in the County used by Personnel or the public, using the template provided in Appendix A to the Order.
- 2) The COVID-19 PREPARED Sign and SDP Visitor Information Sheet, which are included with Appendix A, must be printed and posted at or near the entrance of the facility, such as a window, and shall be easily viewable by the public and Personnel from outside the facility.
- 3) The SDP must be distributed to all Personnel working at the facility. Implement all measures in the Social Distancing Protocol prior to opening.
- 4) Print and post all signage required in the SDP. Several sign templates are available on the Public Health Department’s website at:
<https://www.sccgov.org/sites/covid19/Pages/learn-what-to-do-flyers.aspx>.

As used in this Appendix C-1, “Personnel” means the following people who provide goods or services or perform operations associated with the Additional Business in the County: employees; contractors and sub-contractors (such as those who sell goods or perform services onsite or who deliver goods for the business); independent contractors (such as “gig workers” who perform work via the Additional Business’s application or other online interface); vendors who are permitted to sell goods onsite; volunteers; and other individuals who regularly provide services onsite at the request of the Additional Business.

In addition, each Additional Business must comply with Social Distancing Requirements and all relevant state guidance and local directives. Where differences exist between the state guidance and local public health directives related to the COVID-19 pandemic, the most restrictive provision controls.

List of Additional Businesses

For purposes of the Order, Additional Businesses include the following:

(1) Retail

- a. **Basis for Addition.** Retail typically involves a moderate level of contact for a short duration of time and can proceed with limitations to ensure adequate social distancing and decrease the risk of transmission.
- b. **Description and Conditions to Operate.** All retail businesses, including wholesale businesses, may operate subject to the following limitations in addition to those required elsewhere in the Order:
 - i. Unless operating as an Essential Business or Outdoor Business or to carry out an Essential Governmental Function, the total number of Personnel present at a facility that qualifies under this category must at any one time be no more than one Personnel per 300 gross square feet of the facility, and no more than one customer per 200 square feet of space open to the public.

(2) Manufacturing

- a. **Basis for Addition.** Risks associated with this activity can be mitigated through measures that ensure adequate social distancing and limit intermixing between households.
- b. **Description and Conditions to Operate.** All manufacturing businesses may operate subject to the following limitations in addition to those required elsewhere in the Order:
 - i. Unless operating as an Essential Business or to carry out an Essential Governmental Function, the total number of persons (including Personnel, customers, delivery persons, or other persons) present at a facility that qualifies under this category must at any one time be no more than one person per 300 gross square feet of the facility.

(3) Logistics, Warehousing, Delivery, and Distribution

- a. **Basis for Addition.** Risks associated with this activity can be mitigated through measures that ensure adequate social distancing and limit intermixing between households.
- b. **Description and Conditions to Operate.** All logistics, warehousing, delivery, and distribution businesses may operate subject to the following limitations in addition to those required elsewhere in the Order:
 - i. Unless operating as an Essential Business or to carry out an Essential Governmental Function, the total number of persons (including Personnel,

customers, delivery persons, or other persons) present at a facility that qualifies under this category must at any one time be no more than one person per 300 gross square feet of the facility.

- ii. All delivery and distribution activities must take place with the minimum number of persons in a vehicle necessary to safely operate the vehicle and carry out relevant job functions.
- iii. In addition to the requirements set forth in the Order regarding face coverings, Personnel must wear face coverings at all times when inside a vehicle to carry out operations that qualify under this category, except Personnel who are exempted from the face covering requirement pursuant to the Health Officer's Critical Guidance on Face Coverings.

(4) Outdoor Museums, Outdoor Historical Sites, and Publicly Accessible Gardens

- a. Basis for Addition. Visiting outdoor museums, outdoor historical sites, and publicly accessible gardens involves low contact intensity and a low number of contacts so long as proper social distancing is maintained at all times. Interactions and activities that occur outdoors carry a lower risk of transmission than most indoor interactions and activities. Because outdoor recreation is already allowed under the Order, resumption of this activity should result in only a relatively modest increase in mobility and may decrease congestion in other outdoor locations like public parks and beaches.
- b. Description and Conditions. Outdoor museums, outdoor historical sites, and publicly accessible gardens may open subject to the following limitations in addition to those required elsewhere in the Order:
 - i. Members of the public are not allowed to access any indoor facilities associated with outdoor museums, outdoor historical sites, or publicly accessible gardens, except to use restrooms, which must be frequently cleaned. All business and transactions involving members of the public must occur outdoors.
 - ii. Businesses operating under this category must implement measures to ensure that social distancing of at least six feet is maintained at all times other than between members of the same household.

(5) Childcare, Camps, and other Educational or Recreational Institutions for All Children

- a. Basis for Addition. These businesses are critical to children's physical, mental, and social development, and also play a vital role in families' social and economic wellbeing. However, these programs involve a relatively high quantity, intensity, and duration of contacts, and children are often unable to consistently follow social distancing and sanitation requirements that apply to other types of businesses. Risk associated with this category of businesses can be mitigated to some degree with limitations on the size of the groups and on intermixing between groups. In addition, because many of these businesses are already allowed to operate for some children, this addition creates a relatively modest expansion of activity.

- b. Description and Conditions to Operate. All childcare establishments, camps, and other educational or recreational institutions or programs may provide their services to all children subject to the following limitations in addition to those required elsewhere in the Order:
- i. Programs must be carried out in stable groups of 12 or fewer children (“stable” means that the same 12 or fewer children are in the same group each day).
 - ii. Children within a program shall not change from one group to another within that program.
 - iii. If more than one group of children is at one facility, each group shall be in a separate room. Groups shall not mix with each other.
 - iv. Providers or educators shall remain solely with one group of children.
 - v. Children may not move from one program to another more frequently than once every three weeks, or take part in more than one program simultaneously.

(6) Limited Services That Do Not Require Customer Contact

- a. Basis for Addition. The limited services allowed to open involve minimal, low-intensity, short-duration interaction between Personnel and customers. Risks associated with this activity can be mitigated through measures that ensure adequate social distancing and limit intermixing between households.
- b. Description and Conditions to Operate. Limited services that do not require customer contact including but not limited to, pet grooming (including mobile pet grooming), pet daycare, dog walking, repair services (including shoe, watch, jewelry, and other repair services), home cooking services, tailoring, car detailing, residential and janitorial cleaning services, and home maintenance, may operate subject to the following limitations in addition to those required elsewhere in the Order:
- i. If the service is operated out of a business facility that is not an Essential Business or Outdoor Business or used to carry out an Essential Governmental Function, the total number of persons (including Personnel, customers, delivery persons, or other persons) present at the facility must any one time be no more than one person per 300 gross square feet of the facility, and no more than one customer per 200 square feet of space open to the public.
 - ii. To the extent feasible, all interactions and transactions between Personnel and customers must occur outdoors.
 - iii. To the extent feasible, businesses must provide an option to customers that allows them to order and pay for products online or by phone prior to arriving at the facility.
 - iv. To the extent feasible, items serviced must be disinfected prior to being returned to customers.

(7) Outdoor Dining

- a. Basis for Addition. Outdoor dining provides access to freshly prepared meals at a relatively low risk of transmission. Because food service will be limited to outdoor areas, the overall volume of increased activity will be modest. In addition, interactions and activities that occur outdoors carry a lower risk of transmission than most indoor interactions and activities. Risks associated with these operations can be substantially mitigated with conditions to ensure adequate social distancing and limit intermixing between households.
- b. Description and conditions to operate: Restaurants and other food facilities that provide sit-down food service may provide outdoor, sit-down meals, subject to the following limitations in addition to those required elsewhere in the Order:
 - i. Outdoor seating arrangements shall limit the number of patrons at a single table to no more than six (6) individuals, all of whom must be from the same household or living unit. Members of separate households or living units are not allowed to dine at the same table.
 - ii. All tables must be separated to ensure that six-foot minimum social distance can easily be maintained between all members of separate households or living units at all times. For clarity, patrons who are members of the same household or living unit and seated together at a table do not need to be six feet apart.
 - iii. Alcohol may be sold to patrons in conjunction with a meal, but it may not be sold independently.
 - iv. Bar areas must remain closed to customers.
 - v. Entertainment events are not allowed at this time.
 - vi. Outdoor dining, placement of outdoor seating arrangements, and food service must be in compliance with local laws, regulations, and permitting requirements.
 - vii. Facilities that open for outdoor dining must offer curbside pickup, takeaway, and/or delivery service alternatives.

(8) Outdoor Swimming Pools

- a. Basis for Addition. Outdoor swimming pools have few high-touch surfaces and do not require shared equipment. Risks associated with outdoor swimming pools can be substantially mitigated with limitations to ensure adequate social distancing and limit intermixing between households.
- b. Description and Conditions to Operate. Outdoor swimming pools may operate subject to the following limitations in addition to those required elsewhere in the Order:
 - i. Lap swimming must be limited to one swimmer per lane, except that members of the same household or living unit may occupy a single lane.
 - ii. Use of shared swimming areas must be limited to no more than one swimmer per 300 square feet of shared pool space.
 - iii. Except for members of the same household, swimmers shall remain at least six feet apart at all times.
 - iv. At least one person, separate from a lifeguard, shall be on duty at all times to ensure that the social distancing protocol applicable to the facility and all limitations herein are followed.

- v. Locker rooms shall be closed to the public, except for use as a restroom.
- vi. All gathering shall be prohibited outside the pool, such as on pool decks, except that members of a household may observe a child or other person swimming to ensure safety and supervision.

(9) Campgrounds

- a. Basis for Addition. Camping is an outdoor activity and can occur with members of one's own household without generating substantial risk of contact with other households. Risks associated with this activity can be mitigated through measures that ensure adequate social distancing and limit intermixing between households.
- b. Description and Conditions. Campgrounds may operate subject to the following limitations additional to those required elsewhere in the Order:
 - i. Only designated camping spots shall be used.
 - ii. Each camping spot shall be occupied by no more than one household or living unit.
 - iii. If camping spots are immediately adjacent to one another, there shall at least one closed camping spot between each open camping spot to maintain adequate distance between households or living units.
 - iv. Yurts, dorms, cabins, "glamping" facilities, and other permanent facilities may not be used, except for restrooms, food lockers, dishwashing stations, and drinking water stations, which must be frequently sanitized.
 - v. To the extent feasible, reservations shall be made by phone or online prior to arrival.